Power

Editorial Index - Volume 117 January—December 1973

SUBJECT INDEX

AIR, GAS & LIQUID HANDLING

Better but costlier tube metals tackle present and future condenser problems	Aug	43
Big pumps get prototype test in Japan	April	60
Big valves stop and control nuclear flows	June	77
'Bullets,' 'bombs' in hydrostatic tests	Jan	41
Control-valve noise yields to research	July	69
Coolant pumps get rigorous tests	Aug	45
Factor pump size into NPSH comparisons	June	78
Freeze-proof lines with electric tape	Oct	55
FRP pipe carries water	Feb	31
Look at forged valves for nuclear	Sept	43
Modern solenoid valve is one simple way to make current control fluid flow	Oct	56
New test work sheds light on criteria for nuclear valve-stem seals	Dec	54
Nuclear demands focus attention on benefits of forged valve bodies	Jan	40
Plastic fly-ash pipes float on pond	June	76
Prevention of cavitation and of wire drawing helps modern valves control h-p liquids	May	29
Pumping can be pumpless	Feb	32
Stainless steels make desalination test	April	59
Steam trapping: Profit from new designs	Jan	44
Vertical plunger pumps push copper through 16-mile pipeline	April	61
Widened frequency range is improving today's machinery vibration analysis	March	51

ENERGY CONSERVATION

Axial fans for tight spaces, ranging loads	Oct	50
Boosting efficiency of perimeter a/c systems	Oct	48
Challenge of today: Saving energy	Aug	23
Chevrolet-Livonia makes variety of changes pay off --ENERGY CONSERVATION AWARD	Nov	28
Condenser venting system gets attention in power plant conservation drive	Dec	49
Creative engineering wins for Burbank--ENERGY CONSERVATION AWARD	Nov	29
Dow Chemical aims for growth while reducing energy consumption--ENERGY CONSERVATION AWARD	Nov	21
"Effectiveness"--An idea whose time has come	Dec	46
Low-cost intake structure saves on upkeep	Oct	51
Moore turns to the heat pump--ENERGY CONSERVATION AWARD	Nov	24
Recovering heat from pollution-control system	Sept	100
Standard Oil of California stresses steam savings, improved firing--ENERGY CONSERVATION AWARD	Nov	26

ENGINES, TURBINES, GENERATORS

Alternate engine fuels sub for scarce gas	May	89
Better ways to insulate stators with mica	April	41
Beware low-frequency gas-turbine noise	May	87
Combined cycle gets new test	Sept	84
DEH: The computer takes over turbine control	Aug	58
Diesel utilities counter scarcity and reduce costs with heavy fuel	Sept	81
Don't overlook the Performance Test Codes in checking industrial generating equipment	July	13
Engines serve baseload, peaking, standby--1973 PLANT DESIGN REPORT	Nov	S-14
Foundation growth can imperil large engine crankshaft	Jan	46
New coolers help hydro generators	Feb	44
Nuclear plants demand rugged auxiliaries	Oct	54
Oil and gas engine users and designers benefit from ASME and CIMAC conferences	June	109
Reduce gas-turbine fuel consumption	Dec	63
Remote readout with bubble level detector	Oct	53
Repowering experience growing rapidly in utility plants --1973 PLANT DESIGN REPORT	Nov	S-8
Simultaneous machining saves vital time	March	87
Turbine helps fix itself	Feb	43
Two 12,200-hp diesels will add power to bring Florida city plant to 48.6 MW	Dec	61

ENVIRONMENTAL MANAGEMENT

Airco: How a steelmaker designed a pollution-free process--ENVIRONMENTAL AWARD	Feb	24
Alamitos pioneers in NO_x control--ENVIRONMENTAL AWARD	Feb	23
AMF plant wins Environmental Award	Oct	27
Central station engineers and consultants take a fresh look at OSHA requirements--Power Seminar	May	78
Clean stack gas gets top priority and award at Duquesne	July	34
Cooling Towers--SPECIAL REPORT	March	S-1
Facts to consider when evaluating stack height	Jan	30

Gelled crude reduces threat of oil spills — May 86

General Electric converts to low-sulfur oil --ENVIRONMENTAL AWARD — Feb 25

Huge gas scrubber for pulp, paper mill — May 77

Industry awaits solutions to problems of high-level radioactive-waste management — Dec 23

Know your state's emission regulations--Part 1 — July 44

Know your state's emission regulations--Part 2 — Aug 74

Put noise criteria to work for your plant — April 25

Reducing SO_2 in stack gas to elemental sulfur — Sept 63

Treated sewage serves as tower makeup — May 75

Try fabric dust collectors on small boilers — Aug 72

Waste disposal from wet scrubbers — Oct 30

Water treatment--SPECIAL REPORT — June S-1

You can learn to live with noise control — Sept 66

HEATING AND COOLING

A/c-system trends in hospital design — April 80

A/c-system trends in industrial plant design — Dec 44

A/c-system trends in office building design — Jan 55

Axial fans for tight spaces, ranging loads — Oct 50

Boosting efficiency of perimeter a/c systems — Oct 48

Campus central plant heats and cools — July 28

Challenge of today: Saving energy — Aug 23

Closed system prevents flash loss — Feb 50

Consider multipressure condensers — June 87

Cooling Towers--SPECIAL REPORT — March S-1

Low-cost intake structure saves on upkeep — Oct 51

Rooftop air conditioner features economizer — July 30

Save energy, cut costs with a computer — May 54

Saving energy a 'natural' in many building systems --1973 PLANT DESIGN REPORT — Nov S-25

Waste heat from power plants: Effect of discharged cooling water — Sept 60

INSTRUMENTATION & CONTROL

Analyzer determines oxygen content of gas mixtures — Feb 49

Computer programs blossom in industry and power field — Oct 74

Computers do it all — Jan 64

Continuous analysis of boiler feed — Feb 47

Control room made in modules — May 66

DDC gets some field experience — Sept 58

DEH: The computer takes over turbine control — Aug 58

Heat is key to flow switch — Oct 75

Monitoring oxygen in boiler feed — May 64

Program for upgrading boiler controls — April 82

Simulators key to operator training — June 64

Take a fresh look at intrinsic safety — March 72

Training nuclear operators — July 58

TV makes bid for control-room monitoring — Dec 29

Two-plane balancing revisited — June 67

MAINTENANCE AND LUBRICATION

Facts for choosing sleeve and rolling-contact bearings for large motors — June 98

Gear improvements: Learn basics to understand modifications — Feb 30

Get the best materials for your gear drives — Jan 39

How to trim steam-turbine lube-system failures: An EEI recommended practice — Sept 46

Lengthen gas-turbine maintenance intervals — June 100

Lubricants work like sliding deck — March 64

Meet backlash, your gearing protector — April 51

New couplings highlight antibacklash — Aug 46

Planning for preventive maintenance — July 80

Troubleshooting large pumps for nuclear and fossil central stations — Dec 40

Upkeep by 'outsiders' is big-time operation — April 52

Upkeep of FRP pipe can be simple — Oct 76

What maintenance do today's motors need? — Feb 28

What some utilities think about mixing turbine oils — May 19

PLANT ELECTRIC SYSTEMS

Arcing risk with delta secondaries — Sept 99

Buick gets maximum mileage from modular distribution — June 55

Circuit schemes affect service continuity--Today's Electric Practice, part 4 — Jan 72

Distribute power with cables and busway--Today's Electric Practice, part 6 — March 100

Electric distribution trends are revealed by survey — Feb 63

Ground systems for better protection--Today's Electric Practice, part 5 — Feb 66

How to troubleshoot for copper loss in water-cooled generators — June 53

Match motors and controls--Today's Electric Practice, part 9 — Aug 48

Power factor and conservation — May 44

Pre-startup care is vital for motors — Jan 74

Protection is key to reliability--Today's Electric Practice, part 8 — July 56

Secondary substations serve load centers--Today's Electric Practice, part 7 — May 42

Solid-state rectifiers--Today's Electric Practice, part 10 — Oct 72

Static var supplies reduce voltage flicker — April 69

Use solid-state unit for smooth starting

STEAM GENERATION

AEC and nuclear industry are working to clear obstacles — Sept 37

AMF plant wins Environmental Award — Oct 27

Control feedwater flow in industrial boilers — May 58

Cooling Towers--SPECIAL REPORT — March S-1

Design and operate your boilers more efficiently--1973 PLANT DESIGN REPORT — Nov S-24

Forming 'air gap' for nuclear reactor — April 31

Gear-driven boiler-feed booster pump improves deaerator placement and operation — Aug 41

Geothermal power: Sleeping giant stirs, but will require years to waken fully — April 32

Identify and control microbiological organisms in cooling water systems — July 16

Industry awaits solutions to problems of high-level radioactive-waste management — Dec 23

Liquid-waste treatment designed, installed in record time without a plant shutdown — Oct 28

Make your pressure tests safer, effective — Feb 81

Nuclear survey: 1972 looms as biggest year — Jan 21

Performance monitoring helps conserve energy in power plants--1973 PLANT DESIGN REPORT — Nov S-2

Plan for nuclear in-service inspection — Feb 76

Selecting a unit for cycling service — Aug 37

Small multistage turbines offer big savings--1973 PLANT DESIGN REPORT — Nov S-24

Technique for measuring stack emissions — April 30

The nuclear fuel cycle: What's happening today? — Sept 29

Waste disposal from wet scrubbers — Oct 30

Water treatment--SPECIAL REPORT — June S.1

EDITORIALS

Another look at energy supplies — Jan 11

A practical approach to the 'energy crisis' — May 9

Crash energy programs — Sept 9

Energy conservation takes on added impact — Aug 9

How long the energy crisis? — Oct 9

Measuring involvement in safety and environment — July 7

Power announces Energy Conservation Program — June 9

Safety reaches for a new high — March 9

The P.E. and OSHA — April 9

The switch from oil to coal — Dec 9

What can we expect from geothermal? — Feb 9

What energy conservation means — Nov 11

DATA SHEETS

Ammonia compressor discharge temperature — April 14

Calculate heat losses from bare steel pipe — Oct 14

Calculate steam release to atmosphere — Sept 14

Compare power plant fuel costs — Dec 14

Current values for three-phase power transformers — Feb 14

Diesel cycle efficiency — March 12

Improve power factor with capacitors — May 14

Minimize relay arcing with R-C circuit — June 12

Put fouling factors in proper perspective — July 8

Sound pressure level varies with distance from source — Jan 16

Starting up large steam turbines in fossil-fueled central stations — Aug 14

AUTHOR INDEX

Allen, Robert G — Jan 30
Facts to consider when evaluating stack height

Baumann, H D & Villier, R — May 29
Prevention of cavitation and of wire drawing helps modern valves control h-p liquids

Bayless, R S & Orange, D P — April 69
Static var supplies reduce voltage flicker

Borhaug, Jan E & Mitchell, John S — March 51
Widened frequency range is improving today's machinery vibration analysis

Boyd, D V — Aug 41
Gear-driven boiler-feed booster pump improves deaerator placement and operation

Bradley, W A — Sept 66
You can learn to live with noise control

Carr, Roy E — June 53
How to troubleshoot for copper loss in water-cooled generators

Coit, R L — June 87
Consider multipressure condensers

Constance, J D — April 25
Put noise criteria to work for your plant

Crowley, W K & Simon-Tov M — Sept 60
Waste heat from power plants: Effect of discharged cooling water

Drechsler, Gerald E & Makay, E — Dec 40
Troubleshooting large pumps for nuclear and fossil central stations

Ellison, Wm; Kominek, E G; & Robbins, E S — Oct 30
Waste disposal from wet scrubbers

Fougere, Louis — June 100
Lengthen gas-turbine maintenance intervals

Fox, Jack — March 88
Use solid-state unit for smooth starting

Gaylord, F D — June 98
Here are facts for choosing sleeve and rolling-contact bearings for large motors

Gelfond, Leonard — May 64
Monitoring oxygen in boiler feed

Goings, Dean — Feb 43
Turbine helps fix itself

Gray, H J; McQuigan, C V; & Rowland, H W — May 75
Treated sewage serves as tower makeup

Hoover, Robert M — May 87
Beware low-frequency gas-turbine noise

Houser, Edwin A — April 30
Technique for measuring stack emissions

Howie, W D — Feb 47
Continuous analysis of boiler feed

Hunter, William D, Jr — Sept 63
Reducing SO_2 in stack gas to elemental sulfur

Ileri, A & Reistad, G M — Dec 46
"Effectiveness"--An idea whose time has come

Kauffmann, W M — Jan 46
Foundation growth can imperil your large engine crankshaft

Kauffmann, W M — May 89
Alternate engine fuels sub for scarce gas

Kauffmann, W M — Sept 81
Diesel utilities counter scarcity and reduce costs with heavy fuel

Kelly, F L — July 58
Training nuclear operators

Kessie, Marshall K — Dec 29
TV makes bid for control-room monitoring

Kominek, E G; Ellison, Wm; & Robbins, E S — Oct 30
Waste disposal from wet scrubbers

Lauroesch, H C — April 41
Better ways to insulate stators with mica

Makay, Elemer & Drechsler, G E — Dec 40
Troubleshooting large pumps for nuclear and fossil central stations

McGuigan, C V; Gray, H J; & Rowland, H W — May 75
Treated sewage serves as tower makeup

Meckler, Milton — Sept 100
Recovering heat from pollution-control system

Mitchell, John S & Borhaug, Jan E — March 51
Widened frequency range is improving today's machinery vibration analysis

Mäia, R A & Smith A L — July 16
Identify and control microbiological organisms in cooling water systems

Nailen, R L — Jan 74
Pre-startup care is vital for motors

Nugent, Ramon — July 69
Control-valve noise yields to research

Orange, D P & Bayless, R S — April 69
Static var supplies reduce voltage flicker

Palos, G — June 67
Two-plane balancing revisited

Perry, David — April 82
Program for upgrading boiler controls

Pelentz, Lloyd M — Feb 81
Make your pressure tests safe, effective

Pulaski, James — Jan 40
Nuclear demands focus attention on benefits of forged valve bodies

Reistad, G M & Ileri, A — Dec 46
"Effectiveness"--An idea whose time has come

Robbins, E S; Ellison, Wm; & Kominek, E G — Oct 30
Waste disposal from wet scrubbers

Rowland, H W; Gray, H J; & McGuigan, C V — May 75
Treated sewage serves as tower makeup

Schaub, R F — May 58
Control feedwater flow in industrial boilers

Selig, B J — Feb 76
Plan for nuclear in-service inspection

Siman-Tov, M & Crowley, W K — Sept 60
Waste heat from power plants: Effect of discharged cooling water

Smith, A L & Mäia, R A — July 16
Identify and control microbiological organisms in cooling water systems

Steen-Johnsen, H — July 13
Don't overlook the Performance Test Codes in checking industrial generating equipment

Steixner, Richard P — Oct 48
Boosting efficiency of perimeter a/c systems

Tankha, A — Aug 72
Try fabric dust collectors on small boilers

Tittle, Robert P — Sept 99
Arcing risk with delta secondaries

Tramuta, S S & Wood, R G — Dec 63
Reduce gas-turbine fuel consumption

Uram, Robert — Aug 58
DEH: The computer takes over turbine control

Velan, A K — Sept 43
Look at forged valves for nuclear

Velan, A K — Dec 54
New test work sheds light on criteria for nuclear-valve stem seals

Villier, R & Baumann, H D — May 29
Prevention of cavitation and of wire drawing helps modern valves control h-p liquids

Walke, W C — Aug 37
Selecting a unit for cycling service

Whitaker, Lincoln E — July 28
Campus central plant heats and cools

Woll, R F — Feb 28
What maintenance do today's motors need?

Wood, R G & Tramuta, S S — Dec 63
Reduce gas-turbine fuel consumption

Yedidiah, S — June 78
Factor pump size into NPSH comparisons